

2

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

AD-A214 807

1b. RESTRICTIVE MARKINGS

3. DISTRIBUTION / AVAILABILITY OF REPORT
Approved for public release;
distribution unlimited.

5. MONITORING ORGANIZATION REPORT NUMBER(S)

AFOSR. TX. 11-11-11

6a. NAME OF PERFORMING ORGANIZATION
New York University
251 Mercer St.

6b. OFFICE SYMBOL
(if applicable)

7a. NAME OF MONITORING ORGANIZATION
AFOSR

6c. ADDRESS (City, State, and ZIP Code)

New York, NY 10012

7b. ADDRESS (City, State, and ZIP Code)

BLDG 410
BAFB DC 20332-6448

8a. NAME OF FUNDING / SPONSORING
ORGANIZATION
AFOSR

8b. OFFICE SYMBOL
(if applicable)

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER
AFOSR76-2884

8c. ADDRESS (City, State, and ZIP Code)

BLDG 410
BAFB DC 20332

10. SOURCE OF FUNDING NUMBERS

PROGRAM
ELEMENT NO.
61102F

PROJECT
NO.
2304

TASK
NO.
A4

WORK UNIT
ACCESSION NO.

11. TITLE (Include Security Classification)

MATHEMATICS OF WAVE PROPAGATION IN PANDOM MEDIA

12. PERSONAL AUTHOR(S)

Joseph B. Keller

13a. TYPE OF REPORT

Final

13b. TIME COVERED

FROM TO

14. DATE OF REPORT (Year, Month, Day)

September 1979

15. PAGE COUNT

6

16. SUPPLEMENTARY NOTATION

17. COSATI CODES

FIELD	GROUP	SUB-GROUP

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

DTIC
ELECTE
DEC 01 1989
S D CS D

88 11 20 041

20. DISTRIBUTION / AVAILABILITY OF ABSTRACT

☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION

unclassified

22a. NAME OF RESPONSIBLE INDIVIDUAL

22b. TELEPHONE (Include Area Code)

767-5025

22c. OFFICE SYMBOL

NM



Review of Completed Work.

BR-128. One-dimensional, nonlinear wave motion in an infinitely conducting, electrically neutral, incompressible elastic medium in the presence of a magnetic field is studied. It is assumed that the elastic medium, in the absence of the magnetic field, is isotropic and that the elastic stresses are derivable from an internal energy function which depends solely on the elastic strains and the entropy. The magnetic field manifests itself as a body force per unit deformed volume arising from the action of the magnetic induction on induced currents. All physical quantities are assumed to depend on only one space variable and time; however, no restriction is placed on the orientations of the velocity, magnetic and strain vectors. The analysis is based on the fact that the governing equations constitute a first order hyperbolic system of strict conservation laws. This fact implies, in advance, that incompressible magnetoelastic media possess a theory of simple waves and shocks analogous to that of gas dynamics and magnetogasdynamics. There are essentially two types of simple waves and two types of shocks, called slow and fast, as well as contact layers and contact discontinuities. The results are applied to a magnetoelastic "piston" problem in which the motion is initiated by purely magnetic (nonmechanical) means.

BR-129. A survey of the theory of elastic waveguides is presented, with special emphasis on guides of general cross-section. First the theory of low frequency waves on rods is

presented and the results of various authors are compared. The waves near their cutoff frequencies are treated. Next high frequency waves, including Rayleigh waves on helical paths, are presented. Then the analysis of high frequency waves along generators of rods is considered. Finally the ray theory and the asymptotic theory of surface wave propagation are presented.

BR-130. Flows of incompressible inviscid heavy fluids with free or rigid boundary surfaces are considered. For slender streams of fluid, the flow and the free boundaries are represented by a number of different asymptotic expansions in powers of the slenderness ratio. There are three kinds of outer expansions representing respectively jets, which have two free boundaries, wall flows, which have one free and one rigid boundary and channel flows, which have two rigid boundaries. The flow at the junction of two or more outer flows is represented by an inner expansion. Previously we constructed the three outer expansions and the inner expansion at the junction of a wall flow and a jet [J. Fluid Mech. 59, 417-432 (1973)]. Now we construct the inner expansions at the junctions of a channel flow and a jet, a channel flow and a wall flow, and a jet and the two wall flows into which it splits upon hitting a wall. We also match each inner expansion to the adjacent outer expansions. These seven expansions can be combined to solve many problems involving flows of slender streams.

BR-131. The development of the theory of linear wave propagation is described after a brief sketch of what wave propagation is. First the classical techniques of images and separation of variables are considered, followed by Sommerfeld's extension of the image method to multi-sheeted spaces, and Watson's transformation of series solutions to more rapidly converging forms. Then the Wiener-Hopf method of solving certain integral equations and Schwinger's variational method of calculating scattering parameters are introduced. Next the normal mode theory of propagation and its development by Pekeris, Brekhovskikh and others is described. Then the WKB method and its extensions are presented. This is followed by discussions of ray theory, of the "parabolic equation" method, and of waves in heterogeneous and random media. Finally prospects for the future are considered, with emphasis on the use of computers and methods of calculation.

